

STANDARD SERIES FITTINGS


Conexiones Serie Standard
Armaturen Standardserie
Embouts série Standard

BSP Swivel female 60° cone

Hembras giratorias rectas BSP cono 60°

Dichtkopf mit BSP Ü-Mutter 60°

Femelle tournante gaz cyl BSP 60°



DN	THREAD ROSCA	Part n° Referencia	€
1/8"	1/8" BSP	241000202	*
3/16"	1/8" BSP	241000203	*
1/4"	1/8" BSP	241000204	*
3/16"	1/4" BSP	241000403	*
1/4"	1/4" BSP	241000404	*
5/16"	1/4" BSP	241000405	*
3/8"	1/4" BSP	241000406	*
1/4"	3/8" BSP	241000604	*
5/16"	3/8" BSP	241000605	*
3/8"	3/8" BSP	241000606	*
1/2"	3/8" BSP	241000608	*
1/4"	1/2" BSP	241000804	*
3/8"	1/2" BSP	241000806	*
1/2"	1/2" BSP	241000808	*
5/8"	1/2" BSP	241000810	*
1/2"	5/8" BSP	241001008	*
5/8"	5/8" BSP	241001010	*
1/2"	3/4" BSP	241001208	*
5/8"	3/4" BSP	241001210	*
3/4"	3/4" BSP	241001212	*
3/4"	1" BSP	241001612	*
1"	1" BSP	241001616	*
2"	2" 1/2 BSP	241004032	*
2" 1/2	2" 1/2 BSP	241004040	*
3"	3" BSP	241004848	*

For sizes of 1" 1/4, 1" 1/2 y 2" see with o'ring / Para medidas de 1" 1/4, 1" 1/2 y 2" ver con junta / Für DN 1" 1/4, 1" 1/2 y 2" bitte die Ausführung mit Dichtung einsehen / Pour les dimensions de 1" 1/4, 1" 1/2 y 2" voir avec o'ring

BSP Swivel female 60° cone double hex.

Hembras giratorias BSP 60° doble hexagono

Dichtkopf mit BSP Ü-Mutter BSP 60° doppelt 6 kt

Femelle tournante BSP cône 60° double hexagonal



DN	THREAD ROSCA	Part n° Referencia	€
1/4"	1/4" BSP	244000404	*
5/16"	3/8" BSP	244000605	*
3/8"	3/8" BSP	244000606	*
1/2"	1/2" BSP	244000808	*
3/4"	3/4" BSP	244001212	*
1"	1" BSP	244001616	*
1" 1/4	1" 1/4 BSP	244002020	*
1" 1/2	1" 1/2 BSP	244002424	*
2"	2" BSP	244003232	*

BSP Swivel female 60° cone (90° Elbow)

Hembras giratorias 90° BSP cono 60°

Dichtkopf mit BSP Ü-Mutter 60° kon. 90°

Coude 90° femelle tournante gaz cyl BSP 60°



DN	THREAD ROSCA	Part n° Referencia	€
3/16"	1/8" BSP	241070203	*
1/4"	1/8" BSP	241070204	*
3/16"	1/4" BSP	241070403	*
1/4"	1/4" BSP	241070404	*
1/4"	3/8" BSP	241070604	*
5/16"	3/8" BSP	241070605	*
3/8"	3/8" BSP	241070606	*
1/4"	1/2" BSP	241070804	*
3/8"	1/2" BSP	241070806	*
1/2"	1/2" BSP	241070808	*
1/2"	5/8" BSP	241071008	*
5/8"	5/8" BSP	241071010	*
1/2"	3/4" BSP	241071208	*
5/8"	3/4" BSP	241071210	*
3/4"	3/4" BSP	241071212	*
3/4"	1" BSP	241071612	*
1"	1" BSP	241071616	*

For those bigger than 1" see with o'ring / Para aquellas mayores de 1" ver con junta / Für diejenigen ab 1" vergleichen Sie bitte den Teil mit Dichtung / Pour ceux plus grand que 1" voir avec o'ring

BSP Swivel female 60° cone (45° Elbow)

Hembras giratorias 45° BSP cono 60°

Dichtkopf mit BSP 60° Ü-Mutter 45° kon.

Coude 45° femelle tournante gaz cyl BSP 60°



DN	THREAD ROSCA	Part n° Referencia	€
3/16"	1/8" BSP	241080203	*
1/4"	1/8" BSP	241080204	*
3/16"	1/4" BSP	241080403	*
1/4"	1/4" BSP	241080404	*
1/4"	3/8" BSP	241080604	*
5/16"	3/8" BSP	241080605	*
3/8"	3/8" BSP	241080606	*
3/8"	1/2" BSP	241080806	*
1/2"	1/2" BSP	241080808	*
1/2"	5/8" BSP	241081008	*
5/8"	5/8" BSP	241081010	*
5/8"	3/4" BSP	241081210	*
3/4"	3/4" BSP	241081212	*
3/4"	1" BSP	241081612	*
1"	1" BSP	241081616	*

For those bigger than 1" see with o'ring / Para aquellas mayores de 1" ver con junta / Für diejenigen ab 1" vergleichen Sie bitte den Teil mit Dichtung / Pour ceux plus grand que 1" voir avec o'ring

STANDARD SERIES FITTINGS


Conexiones Serie Standard
Armaturen Standardserie
Embouts série Standard

BSP Swivel female 60° with o-ring

Hembras giratorias rectas BSP cono 60° con junta tórica

Dichtkopf mit BSP Ü-Mutter 60° mit O-Ring

Femelle tournante droit gaz cyl BSP 60° + o-ring



DN	THREAD ROSCA	Part n° Referencia	€
1/4"	1/4" BSP	241100404	*
3/8"	3/8" BSP	241100606	*
1/2"	1/2" BSP	241100808	*
5/8"	5/8" BSP	241101010	*
5/8"	3/4" BSP	241101210	*
3/4"	3/4" BSP	241101212	*
1"	1" BSP	241101616	*
1"	1 1/4" BSP	241102016	*
1 1/4"	1 1/4" BSP	241102020	*
1 1/4"	1 1/2" BSP	241102420	*
1 1/2"	1 1/2" BSP	241102424	*
1 1/2"	2" BSP	241103224	*
2"	2" BSP	241103232	*

BSP Swivel female 60° cone with o-ring (90° Elbow)

Hembras giratorias 90° BSP cono 60° con junta tórica

Dichtkopf mit BSP Ü-Mutter 60° kon. 90° mit O-Ring

Coude 90° femelle tournante gaz cyl BSP 60° + o-ring



DN	THREAD ROSCA	Part n° Referencia	€
1/4"	1/4" BSP	241170404	*
3/8"	3/8" BSP	241170606	*
1/2"	1/2" BSP	241170808	*
5/8"	5/8" BSP	241171010	*
3/4"	3/4" BSP	241171212	*
1"	1" BSP	241171616	*
1"	1 1/4" BSP	241172016	*
1 1/4"	1 1/4" BSP	241172020	*
1 1/4"	1 1/2" BSP	241172420	*
1 1/2"	1 1/2" BSP	241172424	*
2"	2" BSP	241173232	*

BSP Swivel female 60° cone with o-ring (45° Elbow)

Hembras giratorias 45° BSP cono 60° con junta tórica

Dichtkopf mit BSP 60° Ü-Mutter 45° kon. mit O-Ring

Coude 45° femelle tournante gaz cyl BSP 60° + o-ring




DN	THREAD ROSCA	Part n° Referencia	€
3/8"	3/8" BSP	241180606	*
1/2"	1/2" BSP	241180808	*
5/8"	5/8" BSP	241181010	*
3/4"	3/4" BSP	241181212	*
1"	1" BSP	241181616	*
1 1/4"	1 1/4" BSP	241182020	*
1 1/2"	1 1/2" BSP	241182424	*
2"	2" BSP	241183232	*

BSP Swivel female 60° with o-ring, loose nut

Hembras giratorias rectas BSP cono 60° con junta tórica tuerca libre

Dichtkopf BSP 60° kon. mit O-Ring und loser Mutter

Femelle tournante droite gaz cyl BSP 60° + o-ring, écrou libre



DN	THREAD ROSCA	Part n° Referencia	€
1/4"	1/4" BSP	241100404L	*
3/8"	3/8" BSP	241100606L	*
1/2"	1/2" BSP	241100808L	*

BSP Swivel female 60° with o-ring, loose nut (90° Elbow)

Hembras giratorias 90° BSP cono 60° con junta tórica tuerca libre

Dichtkopf BSP 60° kon. 90° mit O-Ring und loser Mutter

Coude 90° femelle tournante gaz cyl BSP 60° + o-ring, écrou libre



DN	THREAD ROSCA	Part n° Referencia	€
1/4"	1/4" BSP	241170404L	*
3/8"	3/8" BSP	241170606L	*
1/2"	1/2" BSP	241170808L	*

STANDARD SERIES FITTINGS


Conexiones Serie Standard
Armaturen Standardserie
Embouts série Standard

BSP Swivel female flat seat

Hembras giratorias rectas BSP asiento plano

Dichtkopf mit BSP Ü-Mutter flachdichtend

Femelle tournante fond plat BSP



BSP Male flat seat

Macho rosca cilíndrica BSP asiento plano

BSP Außengewinde flachdichtend AGR

Mâle fixe gaz cyl fond plat



DN	THREAD ROSCA	Part n° Referencia	€
1/4"	1/4" BSP	242000404	*
5/16"	3/8" BSP	242000605	*
3/8"	3/8" BSP	242000606	*
3/8"	1/2" BSP	242000806	*
1/2"	1/2" BSP	242000808	*
1/2"	3/4" BSP	242001208	*
3/4"	3/4" BSP	242001212	*
1"	1" BSP	242001616	*
1" 1/4	1" 1/4 BSP	242002020	*
1" 1/2	1" 1/2 BSP	242002424	*

DN	THREAD ROSCA	Part n° Referencia	€
1/4"	1/4" BSP	242120404	*
3/8"	3/8" BSP	242120606	*
3/8"	1/2" BSP	242120806	*
1/2"	1/2" BSP	242120808	*
3/4"	3/4" BSP	242121212	*
1"	1" BSP	242121616	*

BSP flat seat gaskets

Juntas asiento plano BSP

BSP-Flachsitzdichtungen

Joints à siège plat BSP



BSP Swivel female flat seat (90° Elbow)

Hembras giratorias 90° BSP asiento plano

Dichtkopf mit BSP Ü-Mutter 90° flachdichtend

Embout à sertir coude 90° femelle tournante fond plat BSP



DN	THREAD ROSCA	Part n° Referencia	€
1/4"	1/4" BSP	242070404	*
3/8"	3/8" BSP	242070606	*
1/2"	1/2" BSP	242070808	*
3/4"	3/4" BSP	242071212	*
1"	1" BSP	242071616	*

THREAD ROSCA	SIZE TAMAÑO	Part n° Referencia	€
1/4" BSP	10,5x5x2	JNBRAP04	*
3/8" BSP	14,5x8x2	JNBRAP06	*
1/2" BSP	18x11x2	JNBRAP08	*
3/4" BSP	24x13x2	JNBRAP12	*
1" BSP	29,5x20x2,5	JNBRAP16	*
1" 1/4 BSP	38x29x2,5	JNBRAP20	*
1" 1/2 BSP	44x30x2,5	JNBRAP24	*
2" BSP	56x46x2,5	JNBRAP32	*

STANDARD SERIES FITTINGS


Conexiones Serie Standard
Armaturen Standardserie
Embouts série Standard

BSP Swivel female 60° cone forge (90° Elbow)

Hembras giratorias 90° BSP cono 60° (forja)

Dichtkopf mit BSP Ü-Mutter 60° kon. 90° (Guss-Stück)

Coude 90° femelle tournante forge gaz cyl BSP 60°



DN	THREAD ROSCA	Part n° Referencia	€
1/4"	1/4" BSP	241270404	*
5/16"	3/8" BSP	241270605	*
3/8"	3/8" BSP	241270606	*
3/8"	1/2" BSP	241270806	*
1/2"	1/2" BSP	241270808	*
5/8"	3/4" BSP	241271210	*
3/4"	3/4" BSP	241271212	*

BSP Male parallel 60° cone

Macho rosca cilíndrica BSP cono 60°

Außengewinde zyl. BSP 60° kon.

Mâle fixe gaz cyl BSP 60°



DN	THREAD ROSCA	Part n° Referencia	€
3/16"	1/8" BSP	241120203	*
1/4"	1/8" BSP	241120204	*
1/8"	1/4" BSP	241120402	*
3/16"	1/4" BSP	241120403	*
1/4"	1/4" BSP	241120404	*
3/8"	1/4" BSP	241120406	*
1/4"	3/8" BSP	241120604	*
5/16"	3/8" BSP	241120605	*
3/8"	3/8" BSP	241120606	*
1/2"	3/8" BSP	241120608	*
1/4"	1/2" BSP	241120804	*
3/8"	1/2" BSP	241120806	*
1/2"	1/2" BSP	241120808	*
1/2"	5/8" BSP	241121008	*
5/8"	5/8" BSP	241121010	*
1/2"	3/4" BSP	241121208	*
5/8"	3/4" BSP	241121210	*
3/4"	3/4" BSP	241121212	*
3/4"	1" BSP	241121612	*
1"	1" BSP	241121616	*
1"	1"1/4 BSP	241122016	*
1"1/4	1"1/4 BSP	241122020	*
1"1/2	1"1/2 BSP	241122424	*
2"	2" BSP	241123232	*

BSPT Male tapered

Macho rosca cónica BSPT

Außengewinde kon. BSPT 60°

Mâle fixe gaz conique BSPT



DN	THREAD ROSCA	Part n° Referencia	€
3/16"	1/8" BSPT	241140203	*
1/4"	1/8" BSPT	241140204	*
1/4"	1/4" BSPT	241140404	*
1/4"	3/8" BSPT	241140604	*
5/16"	3/8" BSPT	241140605	*
3/8"	3/8" BSPT	241140606	*
3/8"	1/2" BSP	241140806	*
1/2"	1/2" BSPT	241140808	*
5/8"	3/4" BSPT	241141210	*
3/4"	3/4" BSPT	241141212	*
3/4"	1" BSPT	241141612	*
1"	1" BSPT	241141616	*
1"	1"1/4 BSPT	241142016	*
1"1/4	1"1/4 BSPT	241142020	*
1"1/2	1"1/2 BSPT	241142424	*
2"	2" BSPT	241143232	*

STANDARD SERIES FITTINGS

Conexiones Serie Standard
Armaturen Standardserie
Embouts série Standard

Banjo BSP

Orientable BSP

Ringauge BSP

Embout Banjo droit gaz




BSP bolt for Banjo

Tornillo orientable simple BSP

Einfache HohlSchraube BSP für Ringauge

Vis creuse simple pour banjo filetage gaz BSP



DN	Ø	Part n° Referencia	€
3/16"	1/4" BSP	241110403	*
1/4"	1/4" BSP	241110404	*
5/16"	1/4" BSP	241110405	*
3/8"	1/4" BSP	241110406	*
1/4"	3/8" BSP	241110604	*
5/16"	3/8" BSP	241110605	*
3/8"	3/8" BSP	241110606	*
1/2"	3/8" BSP	241110608	*
3/8"	1/2" BSP	241110806	*
1/2"	1/2" BSP	241110808	*
5/8"	5/8" BSP	241111010	*
1/2"	3/4" BSP	241111208	*
5/8"	3/4" BSP	241111210	*
3/4"	3/4" BSP	241111212	*
1"	1" BSP	241111616	*

THREAD ROSCA	Part n° Referencia	€
1/8" BSP	A109002	*
1/4" BSP	A109004	*
3/8" BSP	A109006	*
1/2" BSP	A109008	*
5/8" BSP	A109010	*
3/4" BSP	A109012	*
1" BSP	A109016	*
1 1/4" BSP	A109020	*