

STANDARD SERIES FITTINGS


Conexiones Serie Standard
Armaturen Standardserie
Embouts série Standard

Metric swivel female 24° (L) cone with o'ring

Hembras giratorias Métricas cono 24° (L) con junta

Dichtkopf mit Ü-Mutter kon. 24° DKOL

Femelle tournante droite Métrique (L) cône 24° + o'ring




DN	PIPE TUBO	THREAD ROSCA	Part n° Referencia	€
3/16"	6	12X1,5	24804120603	*
1/4"	6	12X1,5	24804120604	*
1/4"	8	14X1,5	24804140804	*
5/16"	8	14x1,5	24804140805	*
3/8"	8	14x1,5	24804140806	*
1/4"	10	16X1,5	24804161004	*
5/16"	10	16X1,5	24804161005	*
3/8"	10	16X1,5	24804161006	*
1/4"	12	18X1,5	24804181204	*
5/16"	12	18X1,5	24804181205	*
3/8"	12	18X1,5	24804181206	*
1/2"	12	18x1,5	24804181208	*
1/4"	15	22x1,5	24804221504	*
5/16"	15	22x1,5	24804221505	*
3/8"	15	22X1,5	24804221506	*
1/2"	15	22X1,5	24804221508	*
3/8"	18	26x1,5	24804261806	*
1/2"	18	26X1,5	24804261808	*
5/8"	18	26X1,5	24804261810	*
3/4"	18	26x1,5	24804261812	*
1/2"	22	30x2	24804302208	*
5/8"	22	30x2	24804302210	*
3/4"	22	30X2	24804302212	*
3/4"	28	36x2	24804362812	*
1"	28	36X2	24804362816	*
1"	35	45x2	24804453516	*
1" 1/4	35	45X2	24804453520	*
1" 1/4	42	52X2	24804524220	*
1" 1/2	42	52X2	24804524224	*
2"	42	52x2	24804524232	*

Metric swivel female 24° (S) cone with o'ring

Hembras giratorias Métricas cono 24° (S) con junta

Dichtkopf mit Ü-Mutter kon. 24° DKOS

Femelle tournante droite Métrique (S) cône 24° + o'ring



DN	PIPE TUBO	THREAD ROSCA	Part n° Referencia	€
1/4"	6	14x1,5	24804140604	*
3/16"	8	16X1,5	24804160803	*
1/4"	8	16X1,5	24804160804	*
5/16"	8	16x1,5	24804160805	*
3/8"	8	16x1,5	24804160806	*
1/4"	10	18X1,5	24804181004	*
5/16"	10	18x1,5	24804181005	*
3/8"	10	18x1,5	24804181006	*
1/4"	12	20x1,5	24804201204	*
5/16"	12	20X1,5	24804201205	*
3/8"	12	20X1,5	24804201206	*
1/2"	12	20X1,5	24804201208	*
5/16"	14	22x1,5	24804221405	*
3/8"	14	22X1,5	24804221406	*
1/2"	14	22x1,5	24804221408	*
1/4"	16	24x1,5	24804241604	*
5/16"	16	24x1,5	24804241605	*
3/8"	16	24x1,5	24804241606	*
1/2"	16	24X1,5	24804241608	*
5/8"	16	24x1,5	24804241610	*
3/8"	20	30x2	24804302006	*
1/2"	20	30x2	24804302008	*
5/8"	20	30X2	24804302010	*
3/4"	20	30X2	24804302012	*
1/2"	25	36x2	24804362508	*
5/8"	25	36x2	24804362510	*
3/4"	25	36X2	24804362512	*
1"	25	36X2	24804362516	*
5/8"	30	42x2	24804423010	*
3/4"	30	42x2	24804423012	*
1"	30	42X2	24804423016	*
1" 1/4	38	52x2	24804523820	*

STANDARD SERIES FITTINGS

Conexiones Serie Standard
Armaturen Standardserie
Embouts série Standard

Metric swivel female 24° cone with o'ring (90° Elbow)

Hembras giratorias 90° Métricas cono 24° con junta tórica

Dichtkegel mit Ü-Mutter kon. 24° DKO 90°

Coude 90° femelle tournante Métrique cône 24° + o'ring



Metric swivel female 24° cone with o'ring (45° Elbow)

Hembras giratorias 45° Métricas cono 24° con junta tórica

Dichtkegel mit Ü-Mutter kon. 24° DKO 45°

Coude 45° femelle tournante Métrique cône 24° + o'ring



DN	PIPE TUBO	SERIES SERIE	Part n° Referencia	€
3/16"	6	L	24305120603	*
1/4"	6	L	24305120604	*
1/4"	8	L	24305140804	*
5/16"	8	L	24305140805	*
1/4"	10	L	24305161004	*
5/16"	10	L	24305161005	*
3/8"	10	L	24305161006	*
1/4"	12	L	24305181204	*
5/16"	12	L	24305181205	*
3/8"	12	L	24305181206	*
1/2"	12	L	24305181208	*
3/8"	15	L	24305221506	*
1/2"	15	L	24305221508	*
1/2"	18	L	24305261808	*
5/8"	18	L	24305261810	*
5/8"	22	L	24305302210	*
3/4"	22	L	24305302212	*
3/4"	28	L	24305362812	*
1"	28	L	24305362816	*
1"1/4	35	L	24305453520	*
1"1/2	42	L	24305524224	*
3/16"	6	S	24305140603	*
1/4"	8	S	24305160804	*
5/16"	8	S	24305160805	*
1/4"	10	S	24305181004	*
5/16"	10	S	24305181005	*
3/8"	10	S	24305181006	*
1/4"	12	S	24305201204	*
5/16"	12	S	24305201205	*
3/8"	12	S	24305201206	*
1/2"	12	S	24305201208	*
3/8"	14	S	24305221406	*
3/8"	16	S	24305241606	*
1/2"	16	S	24305241608	*
5/8"	20	S	24305302010	*
3/4"	20	S	24305302012	*
3/4"	25	S	24305362512	*
1"	25	S	24305362516	*
5/8"	30	S	24305423010	*
3/4"	30	S	24305423012	*
1"	30	S	24305423016	*
1"1/4	38	S	24305523820	*

DN	PIPE TUBO	SERIES SERIE	Part n° Referencia	€
3/16"	6	L	24306120603	*
1/4"	6	L	24306120604	*
1/4"	8	L	24306140804	*
5/16"	8	L	24306140805	*
1/4"	10	L	24306161004	*
5/16"	10	L	24306161005	*
3/8"	10	L	24306161006	*
1/4"	12	L	24306181204	*
5/16"	12	L	24306181205	*
3/8"	12	L	24306181206	*
1/2"	12	L	24306181208	*
3/8"	15	L	24306221506	*
1/2"	15	L	24306221508	*
1/2"	18	L	24306261808	*
5/8"	18	L	24306261810	*
5/8"	22	L	24306302210	*
3/4"	22	L	24306302212	*
3/4"	28	L	24306362812	*
1"	28	L	24306362816	*
1"1/4	35	L	24306453520	*
1"1/2	42	L	24306524224	*
3/16"	6	S	24306140603	*
1/4"	8	S	24306160804	*
5/16"	8	S	24306160805	*
1/4"	10	S	24306181004	*
5/16"	10	S	24306181005	*
3/8"	10	S	24306181006	*
1/4"	12	S	24306201204	*
5/16"	12	S	24306201205	*
3/8"	12	S	24306201206	*
1/2"	12	S	24306201208	*
3/8"	14	S	24306221406	*
3/8"	16	S	24306241606	*
1/2"	16	S	24306241608	*
5/8"	20	S	24306302010	*
3/4"	20	S	24306302012	*
3/4"	25	S	24306362512	*
1"	25	S	24306362516	*
3/4"	30	S	24306423012	*
1"	30	S	24306423016	*
1"1/4	38	S	24306523820	*

STANDARD SERIES FITTINGS

Conexiones Serie Standard
Armaturen Standardserie
Embouts série Standard

Male stud Metric thread 24° cone

Machos fijos Métricos cono 24°

Außengewinde metr. kon. 24°

Mâle fixe Métrique cône 24°



DN	PIPE TUBO	SERIES SERIE	Part n° Referencia	€
3/16"	6	L	24203120603	*
1/4"	6	L	24203120604	*
1/4"	8	L	24203140804	*
1/4"	10	L	24203161004	*
5/16"	10	L	24203161005	*
3/8"	10	L	24203161006	*
1/4"	12	L	24203181204	*
5/16"	12	L	24203181205	*
3/8"	12	L	24203181206	*
3/8"	15	L	24203221506	*
1/2"	15	L	24203221508	*
1/2"	18	L	24203261808	*
5/8"	18	L	24203261810	*
3/4"	22	L	24203302212	*
1"	28	L	24203362816	*
1"1/4	35	L	24203453520	*
1"1/2	42	L	24203524224	*
1/4"	8	S	24203160804	*
1/4"	10	S	24203181004	*
5/16"	10	S	24203181005	*
3/8"	10	S	24203181006	*
5/16"	12	S	24203201205	*
3/8"	12	S	24203201206	*
3/8"	14	S	24203221406	*
1/2"	16	S	24203241608	*
5/8"	20	S	24203302010	*
3/4"	20	S	24203302012	*
3/4"	25	S	24203362512	*
1"	25	S	24203362516	*
1"	30	S	24203423016	*
1"1/4	38	S	24203523820	*

STANDARD SERIES FITTINGS

Conexiones Serie Standard
Armaturen Standardserie
Embouts série Standard

Banjo metric

Orientable Métrico Recto

Metr. Ringauge

Banjo droit Métrique



Metric standpipe

Espiga lisa recta Métrica

Metr. Stutzen glatt

Embout lisse droit Métrique



DN	Ø	Part n° Referencia	€
3/16"	M10x1	241161003	*
1/4"	M10x1	241161004	*
5/16"	M10x1	241161005	*
1/8"	M12x1	241161202	*
3/16"	M12x1.5	241161203	*
1/4"	M12x1.5	241161204	*
1/4"	M14x1.5	241161404	*
5/16"	M14x1.5	241161405	*
3/8"	M14x1.5	241161406	*
5/16"	M16x1.5	241161605	*
3/8"	M16x1.5	241161606	*
3/8"	M18x1.5	241161806	*
1/2"	M18x1.5	241161808	*
1/2"	M22x1.5	241162208	*
5/8"	M22x1.5	241162210	*
3/4"	M30x2	241163012	*


DN	PIPE TUBO	Part n° Referencia	€
1/8"	6	241580602 L	*
3/16"	6	241580603 L	*
1/4"	6	241580604 L	*
3/16"	8	241580803 L	*
1/4"	8	241580804 L	*
5/16"	8	241580805 L	*
5/16"	10	241581005 L	*
3/8"	10	241581006 L	*
3/8"	12	241581206 L	*
1/2"	12	241581208 L	*
3/8"	15	241581506 L	*
1/2"	15	241581508 L	*
1/2"	18	241581808 L	*
5/8"	18	241581810 L	*
3/4"	22	241582212 L	*
1"	28	241582816 L	*
1"1/4	35	241583520 L	*
1"1/2	42	241584224 L	*
1/4"	10	241581004 S	*
1/4"	12	241581204 S	*
5/16"	12	241581205 S	*
3/8"	14	241581406 S	*
1/2"	14	241581408 S	*
1/2"	16	241581608 S	*
3/4"	20	241582012 S	*
1"	25	241582516 S	*
1"	30	241583016 S	*

Metric bolt for Banjo

Tornillo orientable simple rosca Métrica

Einfache Hohlsschraube metr. für Ringauge

Vis creuse simple pour banjo filetage métrique



THREAD ROSCA	Part n° Referencia	€
M8x1	S109208	*
M10x1	S109210	*
M12x1	S10921210	*
M12x1.5	S109212	*
M14x1.5	S109214	*
M16x1.5	S109216	*
M18x1.5	S109218	*
M22x1.5	S109222	*
M26x1.5	S109226	*
M30x1.5	S109230	*

STANDARD SERIES FITTINGS


Conexiones Serie Standard
Armaturen Standardserie
Embouts série Standard

Female metric swivel 24° /60° cone DIN3868

Hembras giratorias Métricas cono 24° /60° DIN3868

Dichtkopf metr. mit Ü-Mutter kon. 24° /60° DIN3868

Femelle tournante Métrique cône 24° -60° DIN3868



DN	PIPE TUBO	THREAD ROSCA	Part n° Referencia	€
1/4"	8L	M14X1,5	244049511	*
1/4"	10L	M16X1,5	244049520	*
5/16"	10L	M16X1,5	244049523	*
3/8"	10L	M16X1,5	244049524	*
5/16"	12L	M18X1,5	244049525	*
3/8"	12L	M18X1,5	244049535	*
3/8"	15L	M22X1,5	244049552	*
1/2"	15L	M22X1,5	244049555	*
5/8"	18L	M26X1,5	244049571	*

Female metric swivel 24° /60° cone (45° Elbow) DIN3868

Hembras giratorias 45° Métricas cono 24° /60°
DIN3868

Dichtkopf metr. mit Ü-Mutter kon. 24° /60° DKO 45°
DIN3868

Femelle tournante coude 45° Métrique cône 24° -60°
DIN3868




DN	PIPE TUBO	THREAD ROSCA	Part n° Referencia	€
1/4"	8L	M14X1,5	244069511	*
5/16"	10L	M16X1,5	244069523	*
3/8"	10L	M16X1,5	244069524	*
5/16"	12L	M18X1,5	244069525	*
3/8"	12L	M18X1,5	244069535	*
1/2"	15L	M22X1,5	244069555	*
5/8"	18L	M26X1,5	244069571	*

Female metric swivel 24° /60° cone (90° Elbow) DIN3868

Hembras giratorias 90° Métricas cono 24° /60°
DIN3868

Dichtkopf metr. mit Ü-Mutter 24° kon. 90° DIN3868

Femelle tournante coude 90° Métrique cône 24° -60°
DIN3868



DN	PIPE TUBO	THREAD ROSCA	Part n° Referencia	€
1/4"	8L	M14X1,5	244059511	*
1/4"	10L	M16X1,5	244059520	*
5/16"	10L	M16X1,5	244059523	*
3/8"	10L	M16X1,5	244059524	*
5/16"	12L	M18X1,5	244059525	*
3/8"	12L	M18X1,5	244059535	*
3/8"	15L	M22X1,5	244059552	*
1/2"	15L	M22X1,5	244059555	*
5/8"	18L	M26X1,5	244059571	*